

Omega-profile

	section modulus	moment of inertia	DIMENSIONS				WEIGHT		coating area one side
			width	height	thickness		single	wall	
Article	Wx [cm ³]	Ix [cm ⁴]	b [mm]	h [mm]	e [mm]	a [mm]	kg/m	kg/m ²	wall [m ² /m ²]
FMO-141-4	141	682	830	90	4,0	4,0	32,0	38,6	1,20
FMO-179-5	179	829	802	90	5,0	5,0	40,0	49,9	1,25
FMO-214-3	214	1.603	759	150	3,0	3,0	24,6	32,4	1,25
FMO-266-4	266	2.080	994	150	4,0	4,0	40,0	40,2	1,26
FMO-384-5	384	4.063	1.225	200	5,0	5,0	60,0	49,0	1,22
FMO-425-6	425	4.210	1.160	181	6,0	6,0	72,0	62,1	1,29
FMO-496-5	496	6.144	1.165	245	5,0	5,0	60,0	51,5	1,29
FMO-598-6,5	600	7.561	1.498	252	6,5	6,5	95,3	63,6	1,23
FMO-614-6	614	9.179	1.399	276	6,0	6,0	86,4	61,8	1,29
FMO-673-5	673	10.150	1.040	294	5,0	5,0	60,0	57,7	1,44
FMO-682-7	682	8.973	1.448	262	7,0	7,0	100,8	69,6	1,24
FMO-728-8	728	8.375	1.383	220	8,0	8,0	115,2	83,3	1,30
FMO-743-6	743	10.110	1.041	272	6,0	6,0	72,0	69,2	1,44
FMO-761-6	761	13.218	1.317	320	6,0	6,0	86,4	65,6	1,37
FMO-822-6	822	14.948	1.281	335	6,0	6,0	86,4	67,4	1,41
FMO-972-6	972	19.559	1.203	370	6,0	6,0	86,4	71,8	1,50
FMO-1092-7	1.092	19.025	1.450	343	7,0	7,0	112,0	77,2	1,38
FMO-1134-8	1.134	24.795	1.427	397	8,0	8,0	128,0	89,7	1,40
FMO-1151-9	1.151	17.069	1.516	294	9,0	9,0	144,8	95,5	1,33
FMO-1173-6	1.173	26.372	1.320	428	6,0	6,0	96,0	72,7	1,52
FMO-1180-6	1.180	27.754	1.293	435	6,0	6,0	96,0	74,2	1,55
FMO-1232-6	1.232	28.351	1.286	438	6,0	6,0	96,0	74,7	1,56
FMO-1259-8	1.259	20.918	1.382	326	8,0	8,0	128,0	92,6	1,45
FMO-1261-9	1.261	24.783	1.449	358	9,0	9,0	144,8	99,9	1,39
FMO-1317-7	1.317	28.622	1.349	419	7,0	7,0	112,0	83,0	1,48
FMO-1393-7	1.393	33.283	1.276	441	7,0	7,0	112,0	87,8	1,57
FMO-1492-9	1.492	28.133	1.411	371	9,0	9,0	144,8	102,6	1,43
FMO-1554-8	1.554	34.810	1.295	431	8,0	8,0	128,0	98,8	1,54
FMO-1751-9	1.751	37.507	1.332	423	9,0	9,0	144,8	108,7	1,51
FMO-2152-9	2.152	54.753	1.205	500	9,0	9,0	144,8	120,2	1,67

If you wish the form and size of the sheetpiles can be developed.